ELSEVIER

Analytica Chimica Acta 482 (2003) 249–250

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

# Author Index

Abou Ghalia, M.H., see Hassan, S.S.M. 9
Almeida, E.A.
—, Miyamoto, S., Martinez, G.R., Medeiros, M.H.G. and Di Mascio, P.
Direct evidence of singlet molecular oxygen [$O_2$ ($^1\Delta_g$)] production in the reaction of acetonitrile with hydrogen peroxide in alkaline solutions 99
Amr, A.-G.E., see Hassan, S.S.M. 9
Andrade, J.M.
—, Garrigues, S., de la Guardia, M., Gómez-Carracedo, M. and Prada, D.
Non-destructive and clean prediction of aviation fuel characteristics through Fourier transform-Raman spectroscopy and multivariate calibration 115
Arena, M.P.
—, Porter, M.D. and Fritz, J.S.
Rapid, low level determination of silver(I) in drinking water by colorimetric–solid-phase extraction 197

Barbas, C., see Galli, V. 37
Barragán, F.J., see Ocaña, J.A. 105
Bruckner-Lea, C.J., see Grate, J.W. 147

Callejón, M., see Ocaña, J.A. 105
Camões, M.F.G.F.C., see Lito, M.J.G.H.M. 137
Casillas, J.L., see Tamayo, F.G. 165
Cervera, M.L., see Melo Coelho, N.M. 73
Chandler, D.P., see Grate, J.W. 147
Chen, H.-W., see Kuo, C.-T. 219
Citterio, D.
—, Kawada, T., Yagi, J., Ishigaki, T., Hisamoto, H., Sasaki, S.-i. and Suzuki, K.
Molecular design, characterization, and application of multiinformation dyes for optical chemical sensing. IV. Multiinformation dyes with extended spectral sensitivity in the near-infrared spectral range 19
Covington, A.K., see Lito, M.J.G.H.M. 137

de la Guardia, M., see Andrade, J.M. 115
de la Guardia, M., see Melo Coelho, N.M. 73
De la Rosa, F.F., see Ocaña, J.A. 105
Di Mascio, P., see Almeida, E.A. 99

Fritz, J.S., see Arena, M.P. 197

Galli, V.
— and Barbas, C.
Optimization in sample stacking for the measurement of short chain organic acids in serum of natural rubber latex by capillary electrophoresis 37
Garrigues, S., see Andrade, J.M. 115
Gómez-Carracedo, M., see Andrade, J.M. 115
Grate, J.W.
—, Bruckner-Lea, C.J., Jarell, A.E. and Chandler, D.P.
Erratum to "Automated sample preparation method for suspension arrays using renewable surface separations with multiplexed flow cytometry fluorescence detection" [Analytica Chimica Acta 478 (2003) 85–98] 147
Guo, Y.-L., see Lu, H.-J. 1

Haraguchi, H., see Kozono, S. 189
Härmä, H.
—, Pelkkikangas, A.-M., Soukka, T., Huhtinen, P., Huopalahti, S. and Lövgren, T.
Sensitive miniature single-particle immunoassay of prostate-specific antigen using time-resolved fluorescence 157
Hassan, S.S.M.
—, Abou Ghalia, M.H., Amr, A.-G.E. and Mohamed, A.H.K.
Novel thiocyanate-selective membrane sensors based on di-, tetra-, and hexa-imidepyridine ionophores 9
Hisamoto, H., see Citterio, D. 19
Huang, Z.-Y., see Zhao, Y.-G. 29
Huhtinen, P., see Härmä, H. 157
Huopalahti, S., see Härmä, H. 157

Ishigaki, T., see Citterio, D. 19

Jarell, A.E., see Grate, J.W. 147

Karst, U., see Schulte-Ladbeck, R. 183
Kawada, T., see Citterio, D. 19
Kozono, S.
— and Haraguchi, H.
Determination of trace iron in indium phosphide wafer by on-line matrix separation and inductively coupled plasma mass spectrometry 189
Kuo, C.-H.
— and Sun, S.-W.
Analysis of nine rhubarb anthraquinones and bianthrones by micellar electrokinetic chromatography using experimental design 47

PII: S0003-2670(03)00384-2

Kuo, C.-T.
—, Chen, H.-W. and Lin, S.-T.
Trace determination of nitrated polycyclic aromatic hydrocarbons using liquid chromatography with on-line electrochemical reduction and fluorescence detection 219

Len, S.M., see Ong, E.S. 81
Li, D.-M.
—, Zhang, L.-X., Wang, X.-H. and Liu, L.-B.
Ashing and microwave digestion of aerosol samples with a polypropylene fibrous filter matrix 129
Li, Y., see Wu, L. 175
Lin, S.-T., see Kuo, C.-T. 219
Lito, M.J.G.H.M.
—, Camões, M.F.G.F.C. and Covington, A.K.
Effect of citrate impurities on the reference pH value of potassium dihydrogen buffer solution 137
Liu, G., see Wang, J. 149
Liu, L.-B., see Li, D.-M. 129
Lövgren, T., see Härmä, H. 157
Lu, H.-J.
— and Guo, Y.-L.
Chiral recognition of borneol by association with zinc(II) and L-tryptophan in the gas phase 1

Martin-Esteban, A., see Tamayo, F.G. 165
Martinez, G.R., see Almeida, E.A. 99
Mazúr, M.
—, Valko, M. and Morris, H.
Influence of the variable wall thickness of the sample tubes and a quartz Dewar on the EPR signal intensity in a single $TE_{102}$ and double $TE_{104}$ rectangular cavity 229
Medeiros, M.H.G., see Almeida, E.A. 99
Melo Coelho, N.M.
—, Parrilla, C., Cervera, M.L., Pastor, A. and de la Guardia, M.
High performance liquid chromatography—atomic fluorescence spectrometric determination of arsenic species in beer samples 73
Merkoçi, A., see Wang, J. 149
Miyamoto, S., see Almeida, E.A. 99
Mogopodi, D.
— and Torto, N.
Enhancing microdialysis recovery of metal ions by incorporating poly-L-aspartic acid and poly-L-histidine in the perfusion liquid 91
Mohamed, A.H.K., see Hassan, S.S.M. 9
Molina Díaz, A., see Ruedas Rama, M.J. 209
Morris, H., see Mazúr, M. 229

Ocaña, J.A.
—, Callejón, M., Barragán, F.J. and De la Rosa, F.F.
Lanthanide sensitized chemiluminescence determination of grepafloxacin in tablets and human urine 105
Ong, E.S.
— and Len, S.M.
Pressurized hot water extraction of berberine, baicalein and glycyrrhizin in medicinal plants 81

Parrilla, C., see Melo Coelho, N.M. 73
Pastor, A., see Melo Coelho, N.M. 73
Pelkkikangas, A.-M., see Härmä, H. 157
Porter, M.D., see Arena, M.P. 197
Prada, D., see Andrade, J.M. 115

Ruedas Rama, M.J.
—, Ruiz Medina, A. and Molina Díaz, A.
Bead injection spectroscopic flow-through renewable surface sensors with commercial flow cells as an alternative to reusable flow-through sensors 209
Ruiz Medina, A., see Ruedas Rama, M.J. 209

Santschi, P.H., see Schwehr, K.A. 59
Sasaki, S.-i., see Citterio, D. 19
Schulte-Ladbeck, R.
— and Karst, U.
Determination of triacetonetriperoxide in ambient air 183
Schwehr, K.A.
— and Santschi, P.H.
Sensitive determination of iodine species, including organoiodine, for freshwater and seawater samples using high performance liquid chromatography and spectrophotometric detection 59
Soukka, T., see Härmä, H. 157
Sun, S.-W., see Kuo, C.-H. 47
Suzuki, K., see Citterio, D. 19

Tamayo, F.G.
—, Casillas, J.L. and Martin-Esteban, A.
Highly selective fenuron-imprinted polymer with a homogeneous binding site distribution prepared by precipitation polymerisation and its application to the clean-up of fenuron in plant samples 165
Torto, N., see Mogopodi, D. 91

Valko, M., see Mazúr, M. 229

Wang, J.
—, Liu, G. and Merkoçi, A.
Particle-based detection of DNA hybridization using electrochemical stripping measurements of an iron tracer 149
Wang, X.-H., see Li, D.-M. 129
Wu, L.
— and Li, Y.
Picolinamide–$Cu(Ac)_2$-imprinted polymer with high potential for recognition of picolinamide–copper acetate complex 175

Yagi, J., see Citterio, D. 19
Yang, M.-M., see Zhao, Y.-G. 29

Zhang, L.-X., see Li, D.-M. 129
Zhao, Y.-G.
—, Zheng, X.-W., Huang, Z.-Y. and Yang, M.-M.
Voltammetric study on the complex of thiram–copper(II) and its application 29
Zheng, X.-W., see Zhao, Y.-G. 29

# VOL. 482
# ISS. 1
# APR 10
# 2003